


MINI PORTABLE DEHUMIDIFIER

Instruction Manual

SKU: SL39614
Article: 507619



Please retain for
future reference



Thank you for purchasing this Mini Portable Dehumidifier.
We recommend that you spend some time reading these instructions in order to fully understand all the operational features it offers.

INTRODUCTION

This unit uses advanced thermo-electric (Peltier) technology, making it lightweight, quiet, and energy-efficient, ideal for small enclosed spaces.


It helps prevent:

- Dampness
- Musty odours
- Mould and mildew build-up

Perfect for use in:

- Wardrobes
- Cupboards
- Storage rooms
- Small bedrooms

PRODUCT OVERVIEW



1. ON/OFF Button
2. Green LED (Power ON Indicator)
3. Red LED (Power OFF Indicator)
4. Air Inlet
5. Removable Water Tank
6. Dry Air Outlet
7. DC Power Socket
8. Rubber Feet
9. AC/ DC Power Adaptor
10. DC Power Jack
11. Water Displacement Hole
12. Water Tank
13. Automatic Shut-Off

SPECIFICATIONS

Moisture Removal Capacity: 200ml - 250 ml/day (at 30°C, 80% RH)

Water Tank Capacity: 500 ml

Cooling System: Thermo-electric Peltier module

Fan: 90 mm x 90 mm DC brushless motor

Power Input: 9V DC, 2.5A

Power consumption: 22.5W

Auto Shut-Off: Yes (yellow indicator when the tank is full)

Dimension: 154 (W) X 218 (H) x 130 (D) mm

Operating Conditions: Temperature above 15°C, humidity above 40% RH

SETUP AND OPERATION

4.1 Before First Use

After unpacking, ensure the following items are included:

- Dehumidifier unit
- AC/DC power adaptor

4.2 Power connection



1. Insert the DC plug into the unit's DC socket.
2. Plug the AC adaptor into a suitable mains socket.

4.3 Operation

1. Press the ON/OFF button to switch the unit ON. (fig.1)
2. The green LED will illuminate.
3. You should feel airflow from the air outlet. This confirms operation.

4.1 Switching Off


Press the ON/OFF button again to switch the unit OFF. (fig.2)



WATER TANK AND AUTO SHUT-OFF

When the tank reaches approximately 500 ml, the unit will:

- Automatically switch OFF
- Activate the yellow/red “Full” LED indicator



To Empty The Tank

1. Switch OFF the unit and unplug it from the mains.
2. Carefully remove the water tank.
3. Empty the water into a sink or toilet.
4. Reinsert the tank securely.
5. Restart the unit if required.

CLEANING AND MAINTENANCE

Before Cleaning

- Switch OFF the unit
- Unplug from the mains supply

Cleaning Instructions

- Use a soft, dry cloth to wipe the exterior
- Use a brush to remove dust from air vents
- **Do NOT** use water or harsh chemicals

SAFETY PRECAUTIONS

Important Safety Information


- **Do NOT** open the unit, there are no user-serviceable parts inside
- Repairs must be carried out by a qualified technician
- Always keep the unit upright
- **Do NOT** block the air inlet or outlet
- Avoid placing the unit near water and damp environments
- Ensure the power adaptor is used in a well-ventilated area
- If the unit fails to operate, consult a qualified electrician

USAGE TIPS FOR BEST PERFORMANCE

- Use in small, enclosed spaces
- Keep doors and windows closed
- Place on a flat, stable surface
- Ensure recommended temperature and humidity conditions are met

DISCLAIMER

Specifications and design may be subject to change without prior notice for product improvement.



Part of Simply Brands
simply-brands.com

UK Distributor:
JRP Distribution Ltd. Unit 10A Chichester Business Park, PO20 2FT
Website: jrpdistribution.co.uk

EU Address:
Simply Brands Deutschland GmbH - Ernst-August-Platz 10, 30159 Hannover